

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,344,704

DATED : March 18, 2008

INVENTOR(S) : Yoko Kawata

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 36, line 7 reads "perfluoroalkyl" should read --perfluoroalkyl--

Column 36, line 44 reads "--NR_a" should read ---NR^a---

Column 48, line 2 reads "--N(B₁)--" should read --N(B¹)---

Column 51, line 5 reads "CH₂NCHOCH₂" should read --NHCOCH₂--

Column 51, line 52 reads "complex" should read --complex or--

Column 52, line 8 reads "Ile," should read --Ile,--

Column 52, line 42 reads "Ito 3" should read --I to 3--

Column 55, last line should read--and--

Column 57, line 64 reads "Ito 3" should read --I to 3--

Column 57, line 65 reads "Ito 3" should read --I to 3--

Column 61, line 50 reads "C H" should read --) CH--

Column 62, line 57 reads "whereby" should read --wherein--

Column 62, line 60 reads "substances, conjugates" should read --substances, are conjugates--

Column 62 line 61 reads "and compounds" should read --or compounds--

Column 63, line 1 reads "whereby" should read --wherein--

Column 62, line 5 reads "whereby" should read --wherein--

MAILING ADDRESS OF SENDER:

Millen, White, Zelano & Branigan, P.C.
2200 Clarendon Blvd, Suite 1400
Arlington, VA 22201

PATENT NO. 7,344,704

No of additional copies



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No.: 7,344,704

Serial No. : 10/616,511

Filed : July 10, 2003

Issued : March 18, 2008

For : Use Of Perfluoroalkyl-containing Metal Complexes As Contrast Media In Mr-
imaging For Visualization Of Intravascular Thrombi

**PETITION FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. § 1.322 OR § 1.323**

Assistant Commissioner for Patents
Washington, D. C. 20231

Sir:

Applicants hereby request that the above-identified U.S. patent be corrected in accordance with the attached Certificate of Correction.

I. C.F.R. § 1.322

- ☒ The mistake(s) was/were incurred through the fault of the Patent and Trademark Office and is/are clearly disclosed in the records of the Office. Therefore, no fee is due.

II. C.F.R. § 1.323

- ☐ At least some of the mistakes was/were made by the applicant. Therefore, a check in the amount of \$100.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is enclosed herewith.

Enclosed herewith is a Form PTO-1050 (in duplicate) listing errors that have been found in the above-identified patent. The error(s) are of a clerical or typographical nature or of minor character and were made in good faith. The requested correction(s) do not constitute new matter or require reexamination.

III. Accordingly, patentees and their assignee respectfully request that the Patent and Trademark Office issue a Certificate of Correction pursuant to 37 C.F.R. § 1.322 or § 1.323, respectively.

Respectfully submitted,

_____/Csaba Henter/
Csaba Henter, Reg. No. 50,908
Attorney for Applicants

MILLEN, WHITE, ZELANO
& BRANIGAN, P.C.
Arlington Courthouse Plaza I
2200 Clarendon Blvd. Suite 1400
Arlington, Virginia 22201
Telephone: (703) 243-6333
Facsimile: (703) 243-6410

Attorney Docket No.: SCH-1911

Date: September 15, 2008

CH/ras